

**Table 14: Distribution of Traditional Use Berry Sites in the FTSA based on Ducks Unlimited Classification and Development Scenarios**

Ducks Unlimited Mapping Class Name	Late 1990s / Early 2000s	Base Case	Undisturbed	Application Case	Undisturbed	Planned Development Case	Undisturbed
	Total	Developed		Developed		Developed	
Anthropogenic Influenced	12	12	0	12	0	12	0
Aquatic Bed	0	0	0	0	0	0	0
Conifer Swamp	7	3	4	4	3	4	3
Emergent Marsh	0	0	0	0	0	0	0
Graminoid Poor Fen	0	0	0	0	0	0	0
Graminoid Rich Fen	0	0	0	0	0	0	0
Hardwood (Birch) Swamp	2	0	2	0	2	0	2
Mixedwood Swamp	1	0	1	0	1	0	1
Mudflats	0	0	0	0	0	0	0
Open Water	4	4	0	4	0	4	0
Rich Treed Fen	5	2	3	2	3	2	3
Shrub Swamp (Swamp Thicket)	0	0	0	0	0	0	0
Shrubby Bog	0	0	0	0	0	0	0
Shrubby Poor Fen	0	0	0	0	0	0	0
Shrubby Rich Fen	3	2	1	2	1	2	1
Tamarack Swamp	0	0	0	0	0	0	0
Treed Bog	6	3	3	3	3	3	3
Treed Poor Fen	13	7	6	7	6	8	5
<i>Subtotal wetlands</i>	41	21	20	22	19	23	18
Unclassified area	1	0	1	0	1	0	1
Upland Conifer	13	5	8	6	7	6	7
Upland Deciduous	29	16	13	17	12	18	11
Upland Pine/Mixed Forest	18	1	17	2	16	3	15
<i>Subtotal Uplands</i>	60	22	38	25	35	27	33
Burned Areas	0.0		0	0	0	0	0
<i>Total Distributed</i>	12	55		59		62	
<i>Total Undisturbed</i>	102		59		55		52
<b>Totals</b>	114	55	59	59	55	62	52